

Blue Spirit Powered by Euro Offshore BV

Blue Spirit is a Dutch company based in Werkendam, close to the Rotterdam port. We are specialized in designing and building glass reinforced plastic (GRP) patrol and rescue RIBs. Our Rigid Hull Inflatable Boats (RHIB's) are first in class and custom built according to your specifications.

Blue Spirit stands for the best design, quality & best price in the market. All Blue Spirit RIBs are built in the Netherlands; the Dutch craftsman is the backbone of this product. The Blue Spirit RIBs will be delivered with state of the art accessories and engines.

All Blue Spirit RIBs are CE classified and our Fast Rescue Boats are Solas/MED classified. The 15 years experience in the boat building industry gives the client the possibility to order custom built boats. No nonsense, fair pricing!

If you require more detailed information about our Blue Spirit RIBs please visit our website, or visit our factory to take one for a test run!

We are looking forward seeing you!

With kind regards,

۲

Herman Vroege Director

Blue Spirit

Beatrixhaven 19, 4251 NK, Werkendam, The Netherlands, +31(0) 183 69 10 10, info@eurooffshore.com, www.bluespiritboats.com




LOA: 15m00 BOA: 3m50 Engines: 3x Seven Marine 627HP ۲

۲

Euro Offshore Facilities

۲

۲



Main office and worldwide distributors

۲

The headquarters and factory of Euro Offshore BV is based in Werkendam, the Netherlands.

Our main office and factory Euro Offshore BV is based in Werkendam in the south of the Netherlands, approximately 1 hour drive from Amsterdam international airport (Schiphol).

Our yard facilities in the Netherlands include the main office with sales, service, design & engineering and backoffice, a workshop over 2000m2 with an inhouse aluminium welding facility, assembly department and sailmakershop.



Our company has gained an excellent reputation for quality design and construction at reasonable prices. It is generally accepted as one of the premier GRP builder of small (15' to 46') boats in The Netherlands.

In recent years we built between 6 and 10 boats per year, depending on size and complexity. Increasing the volume of business, though desirable in some respects, is not a high priority. Our objective is to do an excellent job of design and construction on boats for exacting needs. Our boatbuilding operation has spawned an increasing amount of fabrication work, particularly marine accessories.

Why Blue Spirit boats?

- Strong GRP hulls
- Optional non wood and vacuum injection
- Choice in Hypalon air or PU foam collar fenders
- Choice in engines and propulsion
- Built to class according to your specs
- Perfect sea handling
- Built in Holland

۲

- Very attractive pricing
- Our Fast Rescue Boats are Solas/MED classified

If you require more detailed information about our Blue Spirit boats or take one for a test run, don't hesitate to call us or visit our showroom and factory in Werkendam (The Netherlands).

Blue Spirit OP and SP Line specifications 3.55 till 5.70 meter.

Hull and fender:

۲

All Blue Spirit Open and Sport line RIBs are equipped with a Hypalon air collar and fibreglass hull.

GRP construction:

Standard wood GRP core, optional Divinycell core and vacuum injection manufacturing.

Steering console / jockey console:

GRP steering console including windshield of polycarbonate in stainless steel frame, hatch with twist lock without key.

Miscellaneous

The Open and Sport Line RIBs are standard delivered with non-skid deck, lifting eyes, repair kit, footpump drain plugs in hull and from deck, lifelines, user manual and much more.

Accessories:

5-Switch waterproof panel, fire extinguisher, manual bilge pump (optional automatic), battery switch, battery boxes, etc.

Blue Spirit Powered by Euro Offshore B.V.

۲

•

Blue Spirit Patrol specifications 6.50 till 15.00 meter.

Hull and fender:

G.R.P hull, hand lay-up 10mm, gel coat, anchor compartment at bow with bollard, inox bow ring, 3 mooring points, removable Hypalon air tubes with 5 separate chambers (incl. pressure release valves). Hull layout for outboard, mid engine and stern engine have same prices.

GRP construction:

Standard wood GRP core, optional Divinycell core and vacuum injection manufacturing.

Steering console:

GRP steering console including windshield of polycarbonate in stainless steel frame, compartment under console for toilet (option) or storage, hatch with twist lock without key.

Cabin:

۲

Optional closed GRP wheelhouse.

Fuel tank:

Standard 200 liter aluminum fuel tank, extra capacity optional, deck fuel filler.

Engines and propulsion:

Optional all major outboard or inboard engines can be build according to your wishes, jet, surface or stern drive propulsion, complete instrument gauges as supported by engine manufacturer, remote control, cable or power steering system.

Seats:

•

Optional suspended jockey seats and helmsman seats with cushions and backrest and grip handles Benches in several designs.

Radar beam:

Aluminum radar beam with collision protection, self righting system (option).

Bimini tops:

Black aluminum frame complete with canvas bimini or FRP top with compartment (option).

Navigation:


Navigation lights, GPS plotter, VHF radio, radar, search light, infrared night vision camera (option).

Miscellaneous

The Patrol RIBs are standard delivered with non-skid deck, 4 stainless steel lifting eyes, repair kit, footpump, drain plugs in hull and from deck, lifelines, user manual and much more.

Accessories:

5-Switch waterproof panel, fire extinguisher, manual bilge pump (optional automatic), battery switch, battery boxes, etc.



Blue Spirit Products

At Blue Spirit we build different types of GRP RIBs, each one specially designed for its own use. Whether you need a sport RIB, work RIB, yacht tender, fast rescueboats or a custom build boat, at Blue Spirit we build high quality GRP boats according to the latest requirements and CE regulations. Each type of RIB is build in several lengths with different options to suit the clients wishes.

The Blue Spirit range contains:

• Open Line

۲

- Sport Line
- Patrol Line
- Fast Rescueboats

Due to our extensive experience in RIB building we also build custom made RIB according to our client's requests.

Blue Spirit offers the best designs and prices for all companies like yachting, navy, dredging, rescue, offshore and many more.





All Blue Spirit Open Line (OP) RIBs are equipped with a Hypalon air collar and the fibreglass hull will be produced by hand lay-up method. Vacuum injection manufacturing is optional. Models available; the OP40, OP60, OP80, OP90 and OP100 and vary in size from 3.55 till 5.70 meters.

The Blue Spirit Open Line RIBs have a capacity of 8 to 14 persons. The Open Line RIBs are standard delivered with anti-sliding deck, lifting eyes, drain plugs in hull and from deck, lifelines and much more.



Blue Spirit Sport Line

All Blue Spirit Sport Line (SP) RIBs are equipped with a Hypalon air collar and the fibreglass hull will be produced by hand lay-up method. Vacuum injection manufacturing is optional.

Models available; the Sport80, Sport90, Sport100, and vary in size from 4.90 till 5.70 meters.

The Blue Spirit Sport Line RIBs have a capacity of 8 to 14 persons. The Sport Line RIBs are standard delivered with steering console, seating arrangement, anti-sliding deck, lifting eyes, drain plugs in hull and from deck, lifelines and much more.



Blue Spirit Patrol Line

The Blue Spirit Patrol RIBs are available with different engine configurations. It is possible to choose between an in- or outboard version. The inboard engine can be placed in the center of the aft of the RIBs. The propulsion system options for the Blue Spirit RIBs are either sterndrive or waterjet.



Blue Spirit Fast Rescueboats

The Blue Spirit Fast Rescueboats are Rescueboats of the RIB type (rigid hull inflatable boats). Our existing boat lines proved theirselves as the ideal starting platform for a RIB built according to your specifications. Our custom fast rescueboat (FRC) is Solas/MED approved.

Blue Spirit Open Line (OP)

All Blue Spirit Open Line (OP) RIBs are equipped with a Hypalon air collar and the fibreglass hull will be produced by hand lay-up method. Vacuum injection manufacturing is optional.

۲

5 Models are available; the OP40, OP60, OP80, OP90 and OP100 and vary in size from 3.55 till 5.70 meters.

The Blue Spirit Open Line RIBs have a capacity of 8 to 14 persons. The Open Line RIBs are standard delivered with anti-sliding deck, lifting eyes, drain plugs in hull and from deck, lifelines and much more.

Blue Spirit Open Line (OP)

۲



Туре	Length	CE	Tube dia	Persons	Weight (kg)	Engine HP Max
OP 40	3.55 x 1.78	С	0.48	6	85	35
OP 60	4.20 x 1.85	С	0.50	7	120	50
OP 80	4.90 x 2.00	С	0.54	8	180	65
OP 90	5.20 x 2.20	D	0.54	10	220	85
OP 100	5.70 x 2.30	D	0.54	14	285	125

Standard equipment:

• Casco hull

۲

- Hypalon Neoprene tube lifelines rubbing strake
- Drain plug
- Lifting eyes and lifting sling
- Footpump
- Paddle set
- Repair kit

Options on all open line boats are:

- Outboard engine
- Radar beam
- Self righting system
- Steeringconsole
- Hypalon foam collar
- PU foam filled fender
- Jockeyseats
- Suspension seats
- Bench
- GPS, radio, radar, etc
- Inox keel protection
- Sun deck
- Boat cover



Blue Spirit Sport Line (SP)

All Blue Spirit Sport Line (SP) RIBs are equipped with a Hypalon air collar and the fiberglass hull will be produced by hand lay-up method. Vacuum injection manufacturing is optional. 3 Models are available; the Sport80, Sport90, Sport100, and vary in size from 4.90 till 5.70 meters.

۲

The Blue Spirit Sport Line RIBs have a capacity of 8 to 14 persons. The Sport Line RIBs are standard delivered with steering console, seating arrangement, anti-sliding deck, lifting eyes, drain plugs in hull and from deck, lifelines and much more.

۲

۲

Blue Spirit Sport Line (SP)

۲



Туре	Length	Tube dia	Persons	Weight (kg)	Engine HP Max
SP 80	4.90 x 2.00	0.54	8	230	65
SP 90	5.20 x 2.20	0.54	10	270	85
SP 100	5.70 x 2.30	0.54	14	334	125

Standard equipment:

• Casco hull

۲

- Hypalon Neoprene tube lifelines rubbing strake
- Drain plug
- Lifting eyes and lifting sling
- Footpump
- Paddle set
- Repair kit

Options on all open line boats are:

- Outboard engine
- Radar beam
- $\cdot\,$ Self righting system
- Hypalon foam collar
- PU foam filled fender
- GPS, radio, radar, etc
- Inox keel protection
- Sun deck
- Boat cover

Blue Spirit Patrol Line

The Blue Spirit Patrol RIBs are available with different engine configurations. It is possible to choose between an in - or outboard version. The inboard engine can be placed in the center of the aft of the boat. The propulsion system options for the Blue Spirit RIBs are either sterndrive or waterjet.

۲

The Blue Spirit Patrol line is available in standard lenghts of 6m50, 7m50, 8m20, 9m20, 10m20 and 11m20. Because of our unique building program and the use of inserts in our different moulds, we can produce any length on your request. Because of this high freedom in design and construction, and the proven hullshape in the workboat industry, the Blue Spirit Patrol Line has proven itself in a wide variety of filelds, for example in the yachting, navy, dredging, customs, firebrigades and police.

DESIGN YOUR OWN TENDER RIB IN & STEPS

07-30

Blue_Spirit_Brochure_2016_RevD.indd 14

۲

Blue Spirit Patrol Line



۲

Туре	Length	Beam	Draft	Tube dia	Persons	Weight (kg)	Fuel Tank
Patrol 6.5	6.50	2.42 / 2.52	0.40	0.45 / 0.55	7	905	200 L
Patrol 7.5	7.50	2.43 / 2.52	0.40	0.45 / 0.55	8	985	200 L
Patrol 8.2	8.20	2.95 / 3.00	0.45	0.55 / 0.60	14	1210	200 L
Patrol 9.2	9.20	2.95 / 3.00	0.45	0.55 / 0.60	16	1270	200 L
Patrol 10.2	10.20	2.95 / 3.00	0.45	0.55 / 0.60	18	1450	200 L
Patrol 11.2	11.20	2.95	0.45	0.55 / 0.60	22	1610	200 L
Above 11.2 meter on request							

Standard hull specifications:

Casco hull

۲

- Air filled fender lifelines rubbing strake
- 200 liter fuel tank with fuel inlet/air vent
- Bollard (in bow)
- Bilge flaps
- Lifting eyes
- Footpump
- Repair kit


Option package

- Inboard or outboard engine with sterndrive or waterjet propulsion
- Divinycell core
- Vacuum injection manufacturing
- Teak deck finishing
- PU foam filled D- or round fender
- Anti-slide patches
- Straps for securing inventory bags
- Small / medium / large steering console
- Front seat on console
- Polycarbonate window shield
- Extra handgrips
- Jockeyseat 50 / 150-180mm suspension
- Suspension seat
- Leaning post
- Benches / tables
- Cabin


A

- HVAC system
- Navigation system
 - Communication system
 - Water system (toilet)
 - Various deck equipment
 - Various anchor and mooring equipment (line)
 - Professional electrical installation IP67
 - Manual/ electrical bilge pump





Blue Spirit Patrol 6.5m





۲

Patrol 6,5m specifications:

Length (meters)	6.50m
Beam (meters)	2.42/2.52m
Draft (meters)	0.40m
Tube (meters)	0.45/0.55m
Weight (kilogram)	905kg
Fuel tank	2001
Max. persons	7

- Engine specifications:Outboard engine max 200 hpInboard engine max 200 hp








۲

Blue Spirit Patrol 7.5m





۲

Patrol 7,5m specifications:

Length (meters)	7.50m		
Beam (meters)	2.42/2.52m		
Draft (meters)	0.40m		
Tube (meters)	0.45/0.55m		
Weight (kilogram)	985kg		
Fuel tank	2001		
Max. persons	8		

- Engine specifications:Outboard engine max 2x200 hpInboard engine max 350 hp







۲




Blue_Spirit_Brochure_2016_RevD.indd 17












Volkswagen Marine 265-6 TDI Information

A — Oil filler cap, engine	L - Fuel return connection Ø 0,31"
B - Oil dip stick, engine	M — Air filter
C — Oil drain with electric pump	N - MDC and fuses
D - Oil filter	P - Plug for instrumentation harness
E — Water filler cap fresh water	Q — Engine safety stop
F — Water inlet sea water Ø1,75"	R - Battery connection
G — Water drain heat exchanger, sea water	S - Throttle cable connection
H — Water drain cooler, sea water	T – Lifting Eye
J - Fuel filter	 For correct dimensions see under Marine Power Europe
K - Fuel inlet connection Ø 0,31"	manne romer Europe




T-top: Coated Marine Aluminum Project name: Blue Spirit 8.2 Patrol C Presentation Blue Spirit 8.2 Patrol C Title: File name: Blue Spirit 8m2.dwg Drawn: B. van der Wijk Date: 25-06-2012 1:20 / 1:10 Sheet: Paper size: A1 Scale: 1/1 E-SPIAIT.A This drawing is the property of EL our interests. © All rights reserve EURO OFFSHORE SERVICES B.V., Beatrixhaven 19, 4251NK Werkendam, The Netherlands T +31(0)183 500 765, E info@eurooffshoreservices.nl, | www.bluespiritboats.com

۲



۲

Blue Spirit Patrol 8.2m





۲

Patrol 8,2m specifications:

Length (meters)	8.20m		
Beam (meters)	2.95/3.00m		
Draft (meters)	0.45m		
Tube (meters)	0.55/0.60m		
Weight (kilogram)	1210kg		
Fuel tank	200		
Max. persons	14		

- Engine specifications:Outboard engine max 2x300 hpInboard engine max 450 hp












۲

Blue Spirit Patrol 9.2m



۲






۲


Patrol 9,2m specifications:


Length (meters)	9.20m
Beam (meters)	2.95/3.00m
Draft (meters)	0.45m
Tube (meters)	0.55/0.60m
Weight (kilogram)	1270kg
Fuel tank	200
Max. persons	16

- Engine specifications:Outboard engine max 2x300 hpInboard engine max 450 hp









Patrol 10,2m specifications:


Length (meters)	10.20m		
Beam (meters)	2.95/3.00m		
Draft (meters)	0.45m		
Tube (meters)	0.55/0.60m		
Weight (kilogram)	1450kg		
Fuel tank	2001		
Max persons	18		

- Engine specifications:Outboard engine max 2x300 hpInboard engine max 450 hp




۲

Blue Spirit Patrol 11.2m




۲




Patrol 11,2m specifications:

11.20m		
2.95m		
0.45m		
).55/0.60m		
610kg		
2001		
22		


- Engine specifications:
 Outboard engine max 2x350 hp
 Inboard engine max 450 hp



Vacuum injection laminate schedule with Divinycell core



Hand lay-up laminate schedule with Divinycell core



Hand lay-up laminate schedule with plywood core

۲

۲

Specification Blue Spirit - Hypalon neoprene fenders

۲



ORCA® 866

Division Produits techniques Technical Products Division Version n°1 8 du 20/04/09

Base fabric: Polyester High Tenacity 1670 dtex - 1500 deniers Ext Chlorosulfonated Polyethylene (CSM) / Polychloroprene (CR) Coating : Int : Polychloroprene (CR)

Specification	Standard-Test	Direction	Result (Imperial)	Result (Metric)
Surfacic Mass	ISO 2286-2 FSTM 191/5041		44,24 ± 4,42 oz/yd ²	1500 ± 150 g/m²
Tensile Strength	ISO 1421 ASTM D 751 / B	CH (W) TR (F)	≥ 561,8 lbs/in ≥ 516,9 lbs/in	≥ 500 daN/5cm ≥ 460 daN/5cm
Tear Resistance	ISO 4674-1 ASTM D 751 / B	CH (W) TR (F)	≥ 74,19 lbs ≥ 78,68 lbs	≥ 33 daN ≥ 35 daN
Permeability (Helium) Zeppelin Test	NFG 37 1 14			≤ 2,5 I /m²/24h
Peeling Test Adhesion	ISO 2411 ASTM D 751		≥ 16,85 lbs/in	≥ 15daN/5cm
Low Temperature Resistance	NF EN 1876-2 ASTM D 751		≤-4F°	≤ -20℃
Heat Aging 7 days at 158 ₣ (70℃)	NF EN 12280 - 1		Mechanical prop. Unchanged	
Hydrocarbon Resistance	ISO 1817		Mechanical prop. Unchanged	


Standard width : 57 in – 145 cm (edge cut) Standard colours : Please refer to the ORCA® catalogue


The information supplied herein is based upon data currently available. Suggested applications are purely indicative and do not imply any warranty on serviceability. The client should always proceed with its testing and validation. Pennel & Flipo makes no guarantee of results and assumes no obligation or liability whatsoever in connection with this information. There are no warranties, either expressed or implied, including the warranty for fitness or merchantability, unless expressly set forth herein.

102, boulevard de l'Eurozone 7700 Mouscron Belgium

Tél: +32 56/39 21 007700 Fax: +32 56/39 21 01 Email: orca@pennel.fr

۲





Specification PU foam filled fenders

Polyurethane SC-910 Information

SC910 is a high 100% solidified component duel liquid polyurethane flexible resin, which will be sprayed on water resistant closed cell foam.

Properties of product:

۲

- 1. Thickness of PU after spraying about 5-6 mm
- 2. Special superior wear resistance, excellent anti rupture, highly waterproof and chemical resistant.
- 3. It can resist against high temperatures till 120°C and low temperatures till 343°C. It never causes cracking, melting, etc. if it exposed to high temperature (250°C) for a short period of time.
- 4. 100% solidified component. It contains no organic Solvent, poisonless, to meet the requirements of environmental protection
- 5. Excellent weather resistant, ultra violet protection, good adhesive. Never aging and cracking.

Typical physical property: Main A

- Tear strength (kg/cm^2)
- Tensile strength (MPa)
- Puncture resistance
- Elongation (%)
- Over 8.5 MPa Good Over 400% Under 2 $q/h m^2$

Over 45 kg/cm²


- Moisture vapour (%) • Transformation 40°C, 90%RH, 4mm testing sample
- Flash point (PM)
- Main
- Hardner
- Gas resistance Normal (premium gasoline 48h) Flexibility 23°C -20°C

-40°C

300° OVER 300° OVER 300° OVER


Over 135°C

Over 140°C



۲

A



EO Lifecycle program

With the EO lifecycle program we provide a one stop solution for our clients:

Service - repair - sales - commissioning

Our program starts with service. We service under the name Euro Offshore Services BV. Our full range of services:

- Commissioning of Blue Spirit boats on location.
- Survey on boats.

۲

- Maintenance and repairs.
- Genuine spare parts supply.
- Instruction and training programs of customers during service work on above mentioned products.

Constant technical assistance and immediate availability of skilled experts are only some of our strengths.

We ensure the availability of our service engineers all over the world.

Worldwide lifecycle program Service - repair - sales - commissioning

۲

Professional Offshore Accessoiries

Euro Offshore B.V. has developed a state of the art accessoiries range for their professional offshore patrol and rescue boats.

۲




The accessoiries have proven theirselves by the intensive use and testing in the boat brands Blue Spirit, Alunautic and FibreShark.



At Euro Offshore B.V. we would like to share our experience and made our exclusive accessoiries range available for public.





Professional Offshore Accessoiries

۲

- Jockeyseats
- Leaning posts
- Steering consoles
 - T-Tops
- Rollbars


Jockeyseats




50-60 mm suspended jockeyseat

The standard jockeyseat has a suspension of approximately 50 till 60 mm.

The jockeyseat has proven itself since the beginning of the Blue Spirit boats.



۲




The pdf or autocad drawing is available for measurements or to integrate our jockeyseat in your design.




Base of the seat is made with vacuum injection to reduce weight and is available in any colour.

150 mm suspended jockeyseat

New in our accessoiries range is the extra suspended jockeyseat. With adjustable gas suspension from the well known brand 'Hyperpro'. Famous for their use in racing and other high end applications.





The pdf or autocad drawing is available for measurements or to integrate our jockeyseat in your design.



- Optional gas adjustable suspension.
- Optional adapter for 10 cm height elevation.
- Optional rail sliding system for jockeyseat mounting.


Aluminium leaning post




Ð

Aluminium leaning posts

This aluminium leaning post is available in custom dimensions as requested. The aluminium frame is standard painted in a black colour, custom colours on request.




The pdf or autocad drawing is available for measurements or to integrate our aluminium leaning post in your design.



Aluminium leaning posts

This aluminium leaning post is available in custom dimensions as requested. The aluminium frame is standard painted in a black colour, custom colours on request.



The pdf or autocad drawing is available for measurements or to integrate our aluminium leaning post in your design.




GRP steering consoles




GRP steering console small

This GRP steering console can be used for all boats. The I x b x h dimensions of the console are $1050 \times 950 \times 1600$ mm.




GRP steering console with engine box

This GRP steering console can be used for all boats. The I x b x h dimensions of the console are $1295 \times 950 \times 1600$ mm.




GRP steering console wide with door

This GRP steering console can be used for all boats. The I x b x h dimensions of the console are $1125 \times 1120 \times 1600$ mm.



GRP steering console with toilet

This GRP steering console can be used for all boats, optional with toilet under the seat. The $I \times b \times h$ dimensions of the console are: 1295 \times 1120 \times 1600 mm.




Aluminium steering console

۲




Aluminium steering console small

This aluminium steering console can be used on all boats. The I x b x h dimensions of the console are $570 \times 1000 \times 1130$ mm.




This steering console will be standard delivered with aluminium look, painted on request



Aluminium steering console extra wide

This aluminium steering console can be used on all boats. The I x b x h dimensions of the console are $680 \times 1250 \times 1545$ mm.



۲

Aluminium T-Tops



۲

T-Top with canvas roof

۲


Aluminium T-Top with canvas roof. Frame standard delivered in black paint, custom colour on request. Canvas colour on request.


The pdf or autocad drawing is available for standard dimensions or to integrate our T-Top in your design.


T-Top with GRP roof

Aluminium T-Top with GRP or aluminium roof. Frame standard delivered in black paint, custom colour on request. GRP / aluminium colour on request.

The pdf or autocad drawing is available for standard dimensions or to integrate our T-Top in your design.







Aluminium rollbars



۲

Aluminium rollbar small


Available in aluminium or painted. 2D pdf and autocad drawings available.

Aluminium rollbar large

Available in aluminium or painted. 2D pdf and autocad drawings available.


Selfrighting rollbar


This aluminium rollbar is equipped with a selfrighting sytem made of a hypalon bag with CO2 filling system. The bag volume varies per boat type.





۲













Engines

NAHA


۲

Blue Spirit can supply in - and outboard engines and parts of the following manufacturers:

FOUL

- Mercury
- Yanmar
- Marine Diesel
- Steyr
- Bukh
- Volvo
- YamahaEvinrude
- EVITIOU

We can advise on the best possible engine for your application. If you are looking for the right package for your purpose, contact us for advice. Most conventional parts are in stock or in stock at our suppliers.



۲

 World Wide Distribution Factory

 Beatrixhaven 19, 4251 NK WERKENDAM - The Netherlands- Tel: +311 8369 1010 - Email: info@eurooffshore.com - www.bluespiritboats.com

۲

۲